




WITRUS PRIVATE LIMITED

#06 Andrahalli Main Road Peenya 2nd Stage Vishwaneedam Post
Bangalore - 560091



W33Q2S2

AISI 304

NFE 25-511 Contact Lock Washer

TYPE M

For Hex Screws and Bolts

Quote the item code given below with your order/enquiries:

Dimensions in mm

Nominal Size	Item Code	Inside Diameter d1		Outside Diameter d2		Height h		Thickness s	
Screw Size	PART NUMBER	Min	Max	Min	Max	Min	Max	Min	Max
M3	W33Q2S203000	3.1	3.35	7.71	8.29	0.80	1.00	0.57	0.63
M4	W33Q2S204000	4.1	4.4	9.71	10.29	1.15	1.40	0.86	0.94
M5	W33Q2S205000	5.1	5.4	11.65	12.35	1.45	1.80	1.06	1.14
M6	W33Q2S206000	6.1	6.4	13.65	14.35	1.75	2.10	1.26	1.34
M8	W33Q2S208000	8.2	8.56	17.65	18.35	1.90	2.35	1.36	1.44
M10	W33Q2S210000	10.2	10.56	21.58	22.42	2.25	2.75	1.55	1.65
M12	W33Q2S212000	12.4	12.83	26.58	27.42	2.60	3.10	1.75	1.85
M14	W33Q2S214000	14.4	14.81	29.58	30.42	3.20	3.70	2.34	2.46
M16	W33Q2S216000	16.4	16.83	31.50	32.50	3.60	4.10	2.74	2.86
M20	W33Q2S220000	20.5	21.02	39.50	40.50	4.90	4.90	3.14	3.26

Sizes in BLUE are non-preferred. Availability is limited and MOQ is higher.

Data is strictly informative.



Note: All Austenitic Stainless Steel Fasteners may exhibit some magnetic properties due to the manufacturing process.

Refer: ISO 3506-2 Annex F



WITRUS PRIVATE LIMITED

#06 Andrahalli Main Road Peenya 2nd Stage Vishwaneedam Post
Bangalore - 560091



W33Q2S2

AISI 304

NFE 25-511 Contact Lock Washer

TYPE S

For Cylindrical head Screws

Quote the item code given below with your order/enquiries:

Dimensions in mm

Nominal Size	Item Code	Inside Diameter d1		Outside Diameter d2		Height h		Thickness s	
Screw Size	PART NUMBER	Min	Max	Min	Max	Min	Max	Min	Max
M3	W33Q2S203001	3.1	3.35	5.76	6.24	0.70	0.90	0.47	0.53
M4	W33Q2S204001	4.1	4.4	7.71	8.29	1.00	1.20	0.77	0.83
M5	W33Q2S205001	5.1	5.4	9.71	10.29	1.25	1.50	0.96	1.04
M6	W33Q2S206001	6.1	6.4	11.65	12.35	1.55	1.85	1.16	1.24
M8	W33Q2S208001	8.1	8.56	15.65	16.35	1.80	2.20	1.36	1.44
M10	W33Q2S210001	10.2	10.56	19.58	20.42	2.10	2.60	1.55	1.65
M12	W33Q2S212001	12.4	12.83	23.58	24.42	2.40	2.90	1.75	1.85

Sizes in BLUE are non-preferred. Availability is limited and MOQ is higher.

Data is strictly informative.


Note: All Austenitic Stainless Steel Fasteners may exhibit some magnetic properties due to the manufacturing process.

Refer: ISO 3506-2 Annex F



WITRUS PRIVATE LIMITED

#06 Andrahalli Main Road Peenya 2nd Stage Vishwaneedam Post
Bangalore - 560091



W33Q2S2

AISI 304

NFE 25-511 Contact Lock Washer

TYPE L

For oval holes and soft materials

Quote the item code given below with your order/enquiries:

Dimensions in mm

Nominal Size	Item Code	Inside Diameter d1		Outside Diameter d2		Height h		Thickness s	
Screw Size	PART NUMBER	Min	Max	Min	Max	Min	Max	Min	Max
M3	W33Q2S203002	3.10	3.35	9.65	10.35	0.95	1.20	0.57	0.63
M4	W33Q2S204002	4.10	4.40	13.65	14.35	1.40	1.80	0.96	1.04
M5	W33Q2S205002	5.10	5.40	15.65	16.35	1.70	2.10	1.16	1.24
M6	W33Q2S206002	6.10	6.40	17.65	18.35	2.10	2.50	1.36	1.44
M8	W33Q2S208002	8.10	8.56	21.48	22.42	2.20	2.70	1.55	1.65
M10	W33Q2S210002	10.20	10.56	26.58	27.42	2.60	3.10	1.75	1.85
M12	W33Q2S212002	12.40	12.83	31.50	32.50	3.10	3.60	1.95	2.05

Sizes in BLUE are non-preferred. Availability is limited and MOQ is higher.

Data is strictly informative.

Note: All Austenitic Stainless Steel Fasteners may exhibit some magnetic properties due to the manufacturing process.

Refer: ISO 3506-2 Annex F