




WITRUS PRIVATE LIMITED

#06 Andrahalli Main Road Peenya 2nd Stage Vishwaneedam Post
Bangalore - 560091



W33Q2S4

AISI 316

NFE 25-511 Contact Lock Washer

TYPE M

For Hex Screws and Bolts

Quote the item code given below with your order/enquiries:

Dimensions in mm

Nominal Size	Item Code	Inside Diameter d1		Outside Diameter d2		Height h		Thickness s	
Screw Size		Min	Max	Min	Max	Min	Max	Min	Max
M3	W33Q2S403000	3.1	3.35	7.71	8.29	0.80	1.00	0.57	0.63
M4	W33Q2S404000	4.1	4.4	9.71	10.29	1.15	1.40	0.86	0.94
M5	W33Q2S405000	5.1	5.4	11.65	12.35	1.45	1.80	1.06	1.14
M6	W33Q2S406000	6.1	6.4	13.65	14.35	1.75	2.10	1.26	1.34
M8	W33Q2S408000	8.2	8.56	17.65	18.35	1.90	2.35	1.36	1.44
M10	W33Q2S410000	10.2	10.56	21.58	22.42	2.25	2.75	1.55	1.65
M12	W33Q2S412000	12.4	12.83	26.58	27.42	2.60	3.10	1.75	1.85
M14	W33Q2S414000	14.4	14.81	29.58	30.42	3.20	3.70	2.34	2.46
M16	W33Q2S416000	16.4	16.83	31.50	32.50	3.60	4.10	2.74	2.86
M20	W33Q2S420000	20.5	21.02	39.50	40.50	4.90	4.90	3.14	3.26

Sizes in BLUE are non-preferred. Availability is limited and MOQ is higher.

Data is strictly informative.


Note: All Austenitic Stainless Steel Fasteners may exhibit some magnetic properties due to the manufacturing process.

Refer: ISO 3506-2 Annex F



WITRUS PRIVATE LIMITED

#06 Andrahalli Main Road Peenya 2nd Stage Vishwaneedam Post
Bangalore - 560091



W33Q2S4

AISI 316

NFE 25-511 Contact Lock Washer

TYPE S

For Cylindrical head Screws

Quote the item code given below with your order/enquiries:

Dimensions in mm

Nominal Size	Item Code	Inside Diameter d1		Outside Diameter d2		Height h		Thickness s	
Screw Size		Min	Max	Min	Max	Min	Max	Min	Max
M3	W33Q2S403001	3.1	3.35	5.76	6.24	0.70	0.90	0.47	0.53
M4	W33Q2S404001	4.1	4.4	7.71	8.29	1.00	1.20	0.77	0.83
M5	W33Q2S405001	5.1	5.4	9.71	10.29	1.25	1.50	0.96	1.04
M6	W33Q2S406001	6.1	6.4	11.65	12.35	1.55	1.85	1.16	1.24
M8	W33Q2S408001	8.1	8.56	15.65	16.35	1.80	2.20	1.36	1.44
M10	W33Q2S410001	10.2	10.56	19.58	20.42	2.10	2.60	1.55	1.65
M12	W33Q2S412001	12.4	12.83	23.58	24.42	2.40	2.90	1.75	1.85

Sizes in BLUE are non-preferred. Availability is limited and MOQ is higher.

Data is strictly informative.


Note: All Austenitic Stainless Steel Fasteners may exhibit some magnetic properties due to the manufacturing process.

Refer: ISO 3506-2 Annex F



WITRUS PRIVATE LIMITED

#06 Andrahalli Main Road Peenya 2nd Stage Vishwaneedam Post
Bangalore - 560091



W33Q2S4

AISI 316

NFE 25-511 Contact Lock Washer

TYPE L

For oval holes and soft materials

Quote the item code given below with your order/enquiries:

Dimensions in mm

Nominal Size	Item Code	Inside Diameter d1		Outside Diameter d2		Height h		Thickness s	
Screw Size		Min	Max	Min	Max	Min	Max	Min	Max
M3	W33Q2S403002	3.10	3.35	9.65	10.35	0.95	1.20	0.57	0.63
M4	W33Q2S404002	4.10	4.40	13.65	14.35	1.40	1.80	0.96	1.04
M5	W33Q2S405002	5.10	5.40	15.65	16.35	1.70	2.10	1.16	1.24
M6	W33Q2S406002	6.10	6.40	17.65	18.35	2.10	2.50	1.36	1.44
M8	W33Q2S408002	8.10	8.56	21.48	22.42	2.20	2.70	1.55	1.65
M10	W33Q2S410002	10.20	10.56	26.58	27.42	2.60	3.10	1.75	1.85
M12	W33Q2S412002	12.40	12.83	31.50	32.50	3.10	3.60	1.95	2.05

Sizes in BLUE are non-preferred. Availability is limited and MOQ is higher.

Data is strictly informative.

Note: All Austenitic Stainless Steel Fasteners may exhibit some magnetic properties due to the manufacturing process.

Refer: ISO 3506-2 Annex F